

Notice of Allowability	Application No.	Applicant(s)
	10/753,834	CHRETIEN, PATRICK
	Examiner	Art Unit
	Krystyna Susecki	2882

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to Amendment filed 08/15/05.
- The allowed claim(s) is/are 1-13.
- The drawings filed on 08 January 2004 are accepted by the Examiner.
- Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - All
 - Some*
 - None
 of the:
 - Certified copies of the priority documents have been received.
 - Certified copies of the priority documents have been received in Application No. _____.
 - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - hereto or 2) to Paper No./Mail Date _____.
 - including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
- DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- Notice of References Cited (PTO-892)
- Notice of Draftsperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____.
- Examiner's Comment Regarding Requirement for Deposit
of Biological Material
- Notice of Informal Patent Application (PTO-152)
- Interview Summary (PTO-413),
Paper No./Mail Date _____.
- Examiner's Amendment/Comment
- Examiner's Statement of Reasons for Allowance
- Other _____.

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-13 are allowed.
2. The following is an examiner's statement of reasons for allowance: Claims 1, 12 and 13 contain allowable subject matter for at least the reason that the prior art of record fails to teach or fairly suggest a method for adjusting the emission rate of a radiation ~~of a~~ source of X-ray radiation, a computer program product having therein a program code, or a data carrier comprising a medium having embedded therein a computer program code comprising calibrating the radiation emission rate of an X-ray source as a function of a voltage applied between first and second emitting elements of the source and as a function of a heating current of the source in response to the source being active, supplying, adjusting a heating current for an expected rate of radiation emission as a function of the calibration and carrying out the calibration by an expression chosen to express the emission rate of radiation in which the logarithm of the value of the emission rate is a second-order polynomial function of the heating current and a first-order polynomial function of the voltage as claimed. While Heidsieck (US 5,218,625 and US 5,347,563) teaches the adjusting of a heating current as a function of a calibration, a source of X-rays is tuned with respect to a film calibration.
3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2882

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Krystyna Susecki whose telephone number is (571) 272-2495.

The examiner can normally be reached on M-F, 9-5.

5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Glick can be reached on (571) 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

10
ks

Craig E. Church

Craig E. Church
Primary Examiner